

बुङ्गल नगरपालिका नगर कार्यपालिकाको कार्यालुयु

खिरातडी ,बझाङ सुदुरपश्चिम प्रदेश,नेपाल

प्रकाशित मिति: २०८१/०३/१३




विषय: उत्पादक वा अधिकृत बिक्रेताद्वारा निर्धारित दरमा (क्याटालग सपिंग) विधिबाट सवारी साधन खरिद गर्ने सम्बन्धी सूचना।

प्रस्तुत विषयमा यस कार्यालयलाई आ.व. २०८०/०८१ मा 4WD Pick Up गाडी र कृषी एम्बुलेन्स खरिद गर्नु पर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा (१) (क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ ख तथा उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्याटालग सिंग) खरिद गर्ने कार्यविधि, २०७४ बमोजिम यस नगरपालिकाको प्रयोजनको लागि आवस्यक पर्ने तपशिलका सवारी साधन उपलब्ध गराउन इच्छुक उत्पादक कम्पनी वा त्यसको अधिकृत/आधिकारिक विक्रेताले कम्पनी/फर्म दर्ताको प्रमाण पत्र, उत्पादन अनुमित वा उत्पादकले आधिकारिक विक्रेता तोकेको पत्र, मुल्य अभिबृदी कर दर्ता प्रमाण पत्र र आ.व. २०७९/०८० को कर चुक्ता प्रमाण पत्र लगायत सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ ख को उप नियम २ अनुसार तोकिएको स्पेशिफिकेसन, गुणस्तर, कम्पनीको मूल्य खुल्ने कागजात र सुबिधा सिहतको विवरण (क्याटालग / ब्रोसर) समेत संलग्न गरि आर्थिक प्रताव सिहत यो पत्र जारि भएको मितिले ०७ दिन भित्र यस कार्यालयमा निवेदन दर्ता गराउनहुन जानकारी गरिन्छ। तपशिलमा उल्लेख गरिएका सवारी साधनको स्पेसिफिकेशन यसै कार्यालयको website बाट हेर्नहुन जानकारी गरिन्छ।

<u>तपशिल:</u>

सि.न.	सवारी साधन विवरण	कैफियत
₹.	4WD Pick Up गाडी	
٦.	कृषि एम्बुलेन्स	

बोधार्थः श्री-सूचना तथा प्रबिधि शाखा Websiteमा अपलोड गरि दिनहुन नरेश कुंवर नि.प्रमुख प्रशासकिय अधिकृत



QTÝ: 01 unit

For Supply and Delivery of 4 WD Pick Up:

S.NO	CRITIERIA	REQUIRED SPECIFICATION	OFFERED SPECIFICATION
1.	General	Double cab Right Hand Drive 4WD diesel	MODEL:
		engine Pick Up Type Vehicle suitable to	
		operate in rough and hilly road condition of	YEAR OF
		Nepal with operating conditions -5 degree C	MANUFACTURE:
		to 50 degree C and altitude of 2000 m,	
		Maximum Gross Vehicle Weight (GVW) of	COUNTRY OF
		the vehicle should not be less than 2700 kg	ORIGIN:
		and shall have seating capacity for at least 5	Olli Gii. II
		passengers including driver.	
2.	Engine	Four strokes, DI Turbo charged diesel engine	
		having displacement not less than 2500 CC,	
		Maximum power output not less than 62	
		BHP and torque not less than 194 Nm at	
		governed rpm (engine fully equipped with	
2	F	accessories) for efficient full load operation	
3.	Emission	The emission standard of the offered vehicle	
	Standard	must be in compliance with or superior than	
		the applicable Standard as prescribed by	,
		"Nepal Vehicle Mass Emission Standard"	
		which is to be certified by Department of	
		Transport Management.	
4.	Gauges	Speedometer, Water Temperature, Fuel, Oil	
		Pressure etc. as necessary for the efficient	
		operation and maintenance	
5.	Clutch	Dry, Single plate	
6.	Transmission	Manual shift at least five forward and one	
	- 1 L	reverse, all forward synchromeshed	
7.	Dimension &	High ground clearance is more preferred,	
	weight	minimum required ground clearance is 185	
		mm, pay load not less than 930 kg, kerb	
		weight not less than 1750 kg and overall	
		dimensions (L*W*H) is approx	
		4860*1670*1808 mm which is as per Nepal	
		government regulations	
8.	Steering	Power steering	
9.	Tyres	Standard tyres	



12 - SA
and the same
के नियानिकाको क्रिस्टि
भिरामडी, कर्तान
1481 955

		र पश्चिम प्रदेश, क	
10.	Capacity	Seating capacity: D+4	The different lines
		No. of Seating rows: 2	
11.	Brakes	Brakes Front: Disc	12 July 19 19 19 19 19 19 19 19 19 19 19 19 19
		Brakes Rear: Drum	
12.	Suspension	Leaf springs/coil springs/torsion bar/shock	4
	System	absorbers at front and rear.	
13.	Cab/Canopy	4 side door, all metallic cab with insulated	
		roof, laminated/tinted glass wind screen	
		washers and wiper, comfortable and adjustable	
		seats for driver and co-passenger, front and	
		middle seat front facing and rear side facing	
		seat, two sun visor, rear view mirror and two	
		side view mirror	
14.	Chasis/Frame	Steel, heavy duty suitable for rough road	
		conditions with toe hook	
15.	Essential	The vehicle should be equipped with:	
	Accessories	Head light tail and rear light, reversing light	
		and turn signal	
		• Cabin light	
		• Odometer	
		One spare wheel with tyre and tube with one	
		set of tool box for repair & maintenance	
		Jack with handle	
		Mud guards	
		Seat belts for drive and co-driver	
		• ORVM	
		Shall be equipped with all the accessories	
		offered in standard model manufactured by	
		OEM but not limited to the above items.	
16.	Manuals	One copy of the operator's and owner's	
		instructions & maintenance manuals written in	
		English language shall be supplied	
17.	Color	Standard construction equipment color	
18.	Proven	The vehicle offered shall be under standard	
	Performance	production by the manufacturer and shall be	
		current model manufactured not earlier than	
		year 2023.	
		The bidder shall provide the manufacturer's	
		data of the performance of the unit to include	
		the fuel consumption, performance curve of	
		the engine and production capacity of the unit.	
19.	Warranty	Manufacturer shall provide a minimum of one	
	""""	year warranty against manufacturing defects	
		and at least 2 free servicing in a year from the	
		and at least 2 free servicing in a year from the	







		delivery and acceptance of the vehicle	
20.	Fuel Tank	Fuel tank Not less than 55 Litres	
21.	Electrical & Instrmentation	12 V, DC system	
22.	System Delivery	The 4 WD Pick Up- 01 unit shall be	
	25	delivered to : Office of Bungal Municipality,	
		Bajhang	

Note: The major items are indicated by bold letters/alphabets/figures in the technical specification. Non-compliance of these Major items will result in non-responsiveness/void of the bid offer.

Prepared by:

2741. 47.16

Ganesh Bahadur Adhikari

Mechanical Engineer

NEC No.: 1835 'A

R. Jaga Dalika fili and



Technical Specification of Agriculture Ambulance



For Supply and Delivery of Agriculture Ambulance:

QTY: 01 unit

S.NO	CRITIERIA	REQUIRED SPECIFICATION	OFFERED
Sir (S		mage mass of som real real	SPECIFICATION
1.	General	Single cab, right hand Drive 4 WD diesel engine Pick Up Type Vehicle suitable to operate in rough and hilly road condition of	Make:
		Nepal with operating conditions -5 degree C to 50 degree C and altitude of 2000 m,	Model:
		Maximum Gross Vehicle Weight (GVW) of the vehicle should not be less than 2700 kg and shall have seating capacity for at least 2 passengers including driver.	
2.	Engine	Four Cylinder, DI Turbo charged diesel engine having displacement not less than 2500 CC, Maximum power output not less than 62 BHP and torque not less than 190 N-m at governed rpm (engine fully equipped with accessories) for efficient full load operation	
3.	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by "Nepal Vehicle Mass Emission Standard" which is to be certified by Department of Transport Management.	
4.	Gauges	Speedometer, Water Temperature, Fuel, Oil Pressure etc. as necessary for the efficient operation and maintenance	
5.	Clutch	Dry, Single plate type	
6.	Transmission	Manual shift at least five forward and one reverse, all forward synchromeshed	
7.	Dimension & weight	High ground clearance is more preferred, minimum required ground clearance is 185 mm, pay load not less than 1000 kg, kerb weight not less than 1735 kg and outer load body dimension (L*W*H) is approx. 2280*1530*750 mm.	
8.	Steering	Power steering	



al air	
\$ 4000 CO	गेगरपार्थी गिलिकाकी क्रिक्ट गितडी, वर्कार्ड वम प्रदेश, स्वर्ध

The things of the same

9.	Tyres	Standard tyres	(A.)
10.	Capacity	Seating capacity: D+1	10.
10.	Capacity	No. of Seating rows : 1	
11.	Brakes	Brakes Front: Disc	
11.	Diakes	Brakes Rear: Drum	
12.	Suspension	Leaf springs/coil springs/torsion bar/shock	
12.	System	absorbers at front and rear.	
13.	Cab/Canopy	2 side door, all metallic cab with insulated	
15.	Cab/Callopy		
		, distribution British	
		washers and wiper, comfortable and adjustable	
		seats for driver and co-passenger, two sun	
		visor, rear view mirror and two side view	
	Chasis/Frame	mirror	
	Chasis/Frame	Steel, heavy duty suitable for rough road	
14.	Forential	conditions with toe hook	
14.	Essential Accessories	The vehicle should be equipped with:	
6.46	Accessories	• Head light tail and rear light, reversing light and turn signal	
17.5		• Cabin light	
	,	• Odometer	
		• 1 spare wheel with tyre and tube with 1 set	
		tool box for repair & maintenance	
		• Jack with handle, first aid kit & portable fire	
		extinguisher	
		Mud guards	
		Seat belts for drive and co-driver	
		• ORVM	
		•	
		Shall be equipped with all the accessories	
		offered in standard model manufactured by	
		OEM but not limited to the above items.	
15.	Manuals	One copy of the operator's and owner's	
		instructions & maintenance manuals written in	
		English language shall be supplied	
16.	Color	Standard construction equipment color	
17.	Proven	The vehicle offered shall be under standard	
	Performance	production by the manufacturer and shall be of	
		current model.	
		The bidder shall provide the manufacturer's	
		data of the performance of the unit to include	
		the fuel consumption, performance curve of	
		the engine and production capacity of the unit.	
18.	Warranty	Manufacturer shall provide a minimum of	
		one year warranty against manufacturing	

orest



		defects and at least 2 free servicing in a year from the delivery and acceptance of the vehicle	
19.	Fuel Tank	Fuel tank Not less than 52 Litres	
20.	Electrical & Instrmentation System	12 V, DC wiring system	
21.	Delivery	The Agriculture Ambulance- 01 unit shall be delivered to: Office of Bungal Municipality, Bajhang	

Note: The major items are indicated by bold letters/alphabets/figures in the technical specification. Non-compliance of these Major items will result in non-responsiveness/void of the bid offer.

Prepared by:

Ganesh Bahadur Adhikari

Mechanical Engineer

NEC No.: 1835 'A'

CS CamScanner